

-20029

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OVIEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO (AD)		ESPECIALISTA: J. Ramirez del Pozo - JR-	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO. I F	SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
JR-1		1					1	L	C ₅		
2		1	1				1	T	"		
3		1					1	L	C ₂₁₋₂₃	1	
4		1					1		"		
5		1	1				1	T	"		
6		1	1				1	T	"	1	
7		1					1		"	1	
8		1	1				1	T	"		
9		1	1				1	T	"		
10		1	1				1	T	"	1	
11		1					1		TA-A 1-3		
12		1	1				1	T	C ₂₁₋₂₃	1	
13		1	1				1	T	TA-A 1-3		
14		1					1		"		
15		1					1		"		
16		1	1				1	T	"		
17		1					1		"		
18		1					1		"		
19		1	1				1	T	"	1	
20		1					1	L	"	1	
21		1	1				1	T	"		
22		1					1	L	"		
23		1					1		"		
24		1					1	L ₂	"	1	
25		1	1				1	T	"		
JR-26		1	1				1	T	C ₂₁₋₂₃		
27		1	1				1	T	"	1	
28		1	1				1	T	TA-A 1-3		
29		1					1		"		
30		1	1				1	T	"		
31		1					1		"		
32		1					1		"		
33		1					1	L	"	1	
34		1	1				1	T	"		
35		1					1		"		
36		1					1		"		
37		1					1		"		
38		1					1		"		

W
 AN
 M
 200
 9

(1) T = Lámina transparente

L = Levigado

G = Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OVIEDO	Nº MILITAR: 13-4	Nº GEOG.: 219
EMPRESA: ADARO - AD-		ESPECIALISTA: J. Ramirez del Pozo - JR-	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	F					
JR-39		1	1				1	/	T	P ₁₋₃		
40		1						/		"		
41		1						/		"		
42		1	1				1	/	T	"		
43		1	1				1	/	T	"		
44		1						/		"		
45		1	1				1	/	T	"		
46		1	1				1	/	T	"		
47		1	1					/		"		
48		1						/		"		
49		1						/		"		
50		1						/		"	/	
51		1						/		"		
52		1	1				1	/	T	"		
53		1						/		C ₂₁₋₂₃		
54		1						/		J ₃₋₀ 12-14		
55		1						/		J ₃₋₀ 12-14		
56		1						/	T	J _{P3}		
57		1	1					/	T	C ₁₆		
58		1	1					/	T	Q		
59		1						/	T	J ₃₋₀ 12-14		
60		1						/		J _{P3}		
61		1						/	T	J ₂₂₋₂₄		
62		1						/	T	J ₂₂₋₂₄		
63		1						/	T	J ₂₂₋₂₄		
64		1						/	T	C _{w-14}		
65		1	1				1	/	T	J _{P3}		
66		1	1				1	/	T	J _{P3}	/	
67		1	1				1	/	T	J _{P3}		
68		1	1				1	/	T	J ₀₋₂ 11-12		
69		1						/	T	J _{P3}	/	
70		1						/	T	J _{P3}	/	
71		1						/	T	J ₀₋₂ 11-12		
72		1	1				1	/	T	J ₀₋₂ 11-12		
73		1						/	T	J ₀₋₂ 11-12		
74		1						/	T	J ₃₋₀ 11-14		
75		1						/	T	C ₁₆		
76		1	1				1	/	T	C ₂₁₋₂₃	/	

COLUMNA Nº 9

(1) T ≡ Lámina transparente L ≡ Levigado G ≡ Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OVIEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO - AD-		ESPECIALISTA: J. Ramirez del Pozo - JR-	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	F					
JR-77		1	1				1	1	T	C ₂₁₋₂₃	/	
78		1						1	T	C ₂₁₋₂₃		
79		1						1	T	J ⁰⁻² ₁₁₋₁₂		
80		1						1	T	C ₂₁₋₂₃		
81		1						1	T	C ₁₆	/	
82		1						1	T	C ₂₁₋₂₃		
83		1						1	T	J ⁰⁻² ₁₁₋₁₂		
84		1						1	T	C ₂₁₋₂₃		
85		1						1	T	C ₁₆		
86		1						1	T	T ₁₋₃		
87		1						1	T	C ₂₁₋₂₃		
88		1	1					1	T	C ₂₁₋₂₃	/	
89		1	1				1	1	T	C ₂₁₋₂₃		
90		1						1	T	T ₁₋₃ ^A		
91		1						1	T	C ₂₁₋₂₃		
92		1						1	T	C ₁₆	/	
93		1						1	T	H ^{B-01} ₂₁₋₂₄		
94		1						1	T	C ₁₆		
95		1	1				1	1	T	C ₁₆	/	
96		1						1	T	Q		
97		1	1				1	1	T	Q		
98		1	1				1	1	T	C ₂₁₋₂₃		
99		1						1	T	T ₁₋₃ ^A		
100		1						1	T	C ₁₅		
101		1						1	T	T ₁₋₃ ^A		
102		1						1	T	C ₂₁₋₂₃		
103		1						1	T	C ₁₆		
104		1						1	T	J ⁰⁻² ₁₁₋₁₂		
105		1						1	T	C ₂₁₋₂₃		
106		1						1	T	C ₁₆		
107		1	1				1	1	T	C ₁₅		
108		1						1	T	C ₁₅		
109		1						1	T	C ₂₁₋₂₃		
110		1						1	T	T ₁₋₃ ^A		
111		1						1	T	T ₁₋₃ ^A		
112		1						1		C _{w.4}		
113		1						1		J _{P3}		
114		1						1		C ₁₅		

(1) T ≡ Lámina transparente

L ≡ Levigado

G ≡ Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OUIEDO	Nº MILITAR: 13-4	Nº GEOG.: 99
EMPRESA: ADARO - AD-		ESPECIALISTA: J. Ramirez del Pozo - JR -	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	F					
JR-115		1						/	L	C ₁₆		
116		1						/		T ₁₋₃ ^A		
117		1						/	L ₂₋₃	C ₂₁₋₂₃		
118		1						/		C ₁₅		
119		1						/		C _{w14}		
120		1						/	T	C ₁₆		
121		1						/	T	C ₁₅		
122		1						/	L ₁₋₂	J _{P3}	/	
123		1						/		J _{P3}		
124		1						/		J _{P3}		
125		1						/	L ₁₋₂	J _{P3}		
126		1						/		J _{P3}		
127		1						/		J _{P3}		
128		1						/		J _{P3}		
129		1						/		J _{P3}		
130		1						/	L	J _{P3}		
131		1						/		J _{P3}		
132		1						/		J _{P3}		
133		1						/	L	J _{P3}		
134		1						/		J _{P3}		
135		1						/		J _{P3}		
136		1						/		J _{P3}		
137		1						/	L	J ₂₂₋₂₄		
138		1						/		J ₂₂₋₂₄		
139		1						/		J _{P3}		
140		1						/	L ₁₋₂	J _{P3}		
141		1						/		J _{P3}		
142		1						/		J _{P3}		
143		1	1				1	/	T	C ₁₆	/	
144		1						/	T	C ₂₁₋₂₃		
145		1	1				1	/	T	C ₁₆		
146		1						/	T	J ₁₀₋₁₂ ⁰⁻²		
147		1						/	T	J ₁₁₋₁₂ ⁰⁻²		
148		1						/	T	J ₁₁₋₁₂ ⁰⁻²		
149		1						/	T	C ₁₅		
150		1						/	T	C _{w14}	/	
151		1						/	T	J _{P3}		
152		1						/	T	J ₁₂₋₁₄ ³⁻⁰		

(1) T = Lámina transparente

L = Levigado

G = Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: QUIEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO - AD-		ESPECIALISTA: J. Ramirez del Pozo - JR-	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	F					
JR-153		1						/	T	J ³⁻⁰ ₁₂₋₁₄		
154		1						/	T	J _{P3}		
155		1						/	T	J _{P3}		
156		1						/	T	J _{P3}		
157		1						/	T	J _{P3}		
158		1						/	T	J ₂₂₋₂₄		
159		1						/	T	C ₁₆		
160		1						/	T	C ₁₆		
161		1						/	T	C ₁₆		
162		1						/	T	C ₁₆		
163		1						/	T	J ₂₃		
164		1						/	T	J ³⁻⁰ ₁₂₋₁₄		
165		1						/	T	C ₁₆		
166		1						/		J ⁶⁻² ₁₁₋₁₂		
167		1						/		J _{P3}		
168		1						/		J ⁰⁻² ₁₁₋₁₂		
169		1						/		J ⁰⁻² ₁₁₋₁₂		
170		1						/	T	J ³⁻² ₁₁₋₁₂	1	
171		1						/		J _{P3}		
172		1						/		"		
173		1						/		C _{w14}		
174		1	1				1	/	T	"		
175		1	1				1	/	T	"		
176		1						/		C ₁₅		
177		1						/	L	"		
178		1	1				1	/	T	"		
179		1	1				1	/	T	"		
180		1						/		"		
181		1	1				1	/	T	"		
182		1	1				1	/	T	"		
183		1	1				1	/	T	"		
184		1						/	L ₁₂₋₃	"		
185		1	1				1	/	T	"		
186		1	1				1	/	T	C ₁₆	1	
187		1						/		"		
188		1	1				1	/	T	"		
189		1						/		"		
190		1						/		C ₂₁₋₂₃		

COLUMNA N°

13

(1) T = Lámina transparente

L = Levigado

G = Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OUIEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO - AD -		ESPECIALISTA: J. Ramirez del Pozo - JR -	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	P					
JR-191		1	1				1	/	T	C ₂₁₋₂₃		COLUMNAS 13 7
192		1	1				1	/	T	"		
193		1	1				1	/	T	"		
194		1	1				1	/	T	"		
195		1						/		"		
196			1				1	/	T	"		
197		1	1				1	/	T	"		
198		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
199		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
200		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂	1	
201		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
202		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
203		1						/		J ⁰⁻² ₁₁₋₁₂		
204		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
205		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
206		1					E	/		J ⁰⁻² ₁₁₋₁₂		
207		1	1				1	/	T	J ⁰⁻² ₁₁₋₁₂		
208		1						/		J ⁰⁻² ₁₁₋₁₂		
209		1					1	/	T	J ⁰⁻² ₁₁₋₁₂		
210		1						/		C ₁₅		
211		1	1				1	/	T	C ₁₅		
212		1						/	T	T ^A ₁₋₃		
213		1						/		T ^A ₁₋₃		
214		1	1				1	/	T	M		
215		1	1				1	/	T	M		
216			1					/	T	P		
217			1					/	T	P		
218			1					/	T	P		

(1) T = Lámina transparente

L = Levigado

G = Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OVIEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO - AD-		ESPECIALISTA: Alfredo Barón - ABB	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	F					
AB-39		1	1					1	T	J ⁰⁻² 11-12		
40		1	1					1	T	"		
41		1						1		"		
42		1	1					1	T	"		
43		1	1					1	T	"		
44		1						1		"		
45		1						1		"		
46		1	1					1	T	"		
47		1	1					1	T	"		Nº (2)
48		1	1					1	T	"		
49		1	1					1	T	J ⁰⁻² 11-12		
50		1	1					1	T	"		
51		1						1	L	J ³⁻⁰ 12-14		
52		1	1					1	T	"		
53		1						1	L	"		
54		1						1	L ₁₂	"		
55		1	1					1	T	"		
56		1	1					1	T	J _{P3}		
57		1	1					1	T	"		
58		1	1					1	T	"		
59		1	1					1	T	J ⁰⁻² 11-12		
60		1	1					1	T	"		
61		1						1	L	J ³⁻⁰ 12-14		
62		1	1					1	T	"		
63		1	1					1	T	"		
64		1	1					1	T	"		
65		1	1					1	T	"		
66		1						1		"		

NÚMERO
 COL URNA
 COL URNA
 COL URNA

(1) T = Lámina transparente

L = Levigado

G = Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OVIEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO - AD-		ESPECIALISTA: Carlos Berroís - CB-	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.		SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
						I	F					
CB-1		1	1				1	/	T	C ₁₆		
2		1	1				1	/	T	"		
3		1	1				1	/	T	C ₂₁₋₂₃		
4		1	1				1	/	T	"		
5		1	1				1	/	T	"		
6		1	1				1	/	T	"		
7		1	1				1	/	T	"		
8		1	1				1	/	T	"		
9		1	1				1	/	T	"		
10		1						/		"		
11		1	1				1	/	T	"		
12		1	1				1	/	T	"		
13		1	1				1	/	T	"		
14		1	1				1	/	T	"		
15		1	1				1	/	T	"		
16		1	1				1	/	T	"		
17		1	1				1	/	T	"		
18		1	1				1	/	T	"		
19		1	1				1	/	T	"		
20		1	1				1	/	T	"		
21		1	1				1	/	T	"		
22		1						/	T	C ₁₆		
23		1						/		"		
24		1						/		"		
25		1						/		"		
26		1						/		"		
27		1	1				1	/	T	C ₂₁₋₂₃		
28		1						/		"		
29		1						/	L	"		
30		1	1				1	/	T	"		
31		1						/	L	"		
32		1	1				1	/	T	"		
33		1	1				1	/	T	"		
34		1	1				1	/	T	"		
35		1	1				1	/	T	"		
36		1						/		"		
37		1	1				1	/	T	"		
38		1	1				1	/	T	"		

(1) T = Lámina transparente

L = Levigado

G = Granulometría

CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OJEDO	Nº MILITAR: 13-4	Nº GEOG.: 29
EMPRESA: ADARO - AD -		ESPECIALISTA: Carlos Berois - CB -	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO. I / F	SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
CB-39		1	1			1	1	T	C ₂₁₋₂₃		columna nº 12
40		1	1			1	1	T	"		
41		1	1			1	1	T	"		
42		1	1			1	1	T	"		
43		1	1			1	1	T	J ⁰⁻² 11-12		
44		1	1			1	1	X	"		
45		1	1			1	1	X	"		
46		1	1			1	1		T₂₂₋₂₄		
47		1	1			1	1		"		
48		1	1			1	1		"		
49		1					1		"		
50		1	1			1	1	T	J ⁰⁻² 11-12	columna nº 6	
51		1	1			1	1	T	"		
52		1	1			1	1	T	"		
53		1	1			1	1	T	"		
54		1	1			1	1	T	"		
55		1	1			1	1		"		
56		1					1		"		
57		1					1		"		
58		1	1			1	1	T	"		
59		1	1			1	1	T	"		
60		1	1			1	1	T	"		
61		1	1			1	1	T	"		
62		1					1	L	J ₂₂₋₂₄		
63											
64											
65											
66											
67											
68											
69											
70											
71											
72											
73											
74											
75											
76											

(1) T = Lámina transparente

L = Levigado

G = Granulometría

-20029 CONTROL DE MUESTRAS

BLOQUE: 4-1	NOMBRE: OUIEDO	Nº MILITAR: 13-4	Nº GEOG.: 89
EMPRESA: ADARO - AD-		ESPECIALISTA: Manuel Gerilla - MG-	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO. <small>no. f.d.</small>	SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
MG-4		1					/	T	D ₁₃₋₂₁		
10		1					/	T	D ₁₂₋₁₃		
11		1					/	T	D ₁₃₋₂₁		
13		1					/	T	I ₂₁₋₂₂		
15		1					/	T	D ₁₃₋₂₁		
16	1	1					/	T	H ₁₂ ^A	M	
23	1	1					/		D ₁₂₋₁₃	M	
24		1					/	T	D ₁₃₋₂₁	/	
25		1					/	T	D ₁₃₋₂₁		
37		1					/		D ₂₁₋₂₂		
62		1					/	T	H ₂₁₋₂₄ ³⁻³¹	/	
63		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
64		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
73	1	1					/		H ₂₄ ^{B1}	M	
75	1	1					/		H ₂₄ ^{B1}	M	
79		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
91		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
93		1					/	T	H ₂₄ ^{B1}	/	
96		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
99		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
111							/		H ₁₋₁ ^{Ba-00}		
113		1					/	T	H ₁₋₁ ^{Ba-00}	/	
115		1					/	T	J ₁₂₋₁₄ ³⁻⁰		
126	1	1					/		H ₂₄₋₂₄ ^{B1-02}	M	
128	1	1					/		H ₂₄₋₂₄ ^{B1-02}	M	
155						111		0			
156						111		0			
167		1					/	T	H ₂₁₋₂₄ ^{B-02}	/	
170		1					/	T	H ₂₁₋₂₄ ^{B-01}	/	
354							/		H ₁₋₁ ^{Ba-00}		
504		1					/	T	D ₁₃₋₂₁		

(1) T = Lámina transparente

L = Levigado

G = Granulometría