

-20391

CONTROL DE MUESTRAS

BLOQUE: 13-3	NOMBRE: IGUALADA	Nº MILITAR: 35-15	Nº GEOG.: 391
EMPRESA: IMINSA (IM)		ESPECIALISTA: A. Deon (AP)	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.	SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
1		x	x				x	T	T _a Ab-Ac 22-21		
2		x	x				x	T	"		
3		x	x				x	T	"		
4		x	x				x	T	"		
J		x	x				x	T	"		
6		x	x				x	T	"		
7		x	x				x	T	"	x	
8		x	x				x	T	"	x	
9		x	x				x	T	"		
10		x	x				x	T	"		
11		x					x	C _{23/5}	T _m Ab-Ac 22-21		
12		x	x				x	T	"		
13		x					x	C ₂₋₃	"		
14		x					x	C ₂₋₃	"		
15		x	x				x	T	T _c Ab-Ac 22-21		
16		x	x				x	T	"		
17		x	x				x	T	"		
18		x	x				x	T	"		
19		x	x				x	T	"		
20		x	x				x	T	"		
21		x	x				x	T	"		
22		x	x				x	T	"		
23		x					x	C ₂₋₃	"	M	
24		x					x	C ₂₋₂	"	M	
25		x					x	C ₂₋₂	"	M	
26		x	x				x	T	"	x	
27		x	x				x	T	T _c Aa1-Ab3 22-21		
28		x	x				x	T	"		
29		x					x		"		
30		x					x	C	"		
31		x					x	C	"		
32		x					x		"		
33		x	x				x	T	"		
34		x					x	C	"		
35		x	x				x	T	"		
36		x					x		T _a Aa1-Ab3 22-21		
37		x	x				x	T	"		
38		x	x				x	T	"		

(1) T ≡ Lámina transparente

L ≡ Levigado

G ≡ Granulometría

CONTROL DE MUESTRAS

BLOQUE: 13-3	NOMBRE: IGUALADA	Nº MILITAR: 35-15	Nº GEOG.: 391
EMPRESA: MINSA (IM)		ESPECIALISTA: A. Peón (AP)	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.	SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
39											
40											
41											
42											
43											
44											
45											
46											
47											
48											
49											
50		x					x	C ₂₃₄	T _{Ac-A} 22-31		
51		x					x		"		
52		x	x				x	T	"		
53		x					x		"		
54		x					x	C	"		
55		x	x				x	T	"		
56		x	x				x		"		
57		x	x				x	T	"		
58		x					x		T _{Ac-A} T _g 22-31		
59		x	x				x	T	"		
60		x					x		"		
61		x	x				x	T	"		
62		x	x				x	T	T _{mg} 31		
63		x					x		"		
64		x	x				x	T	"		
65		x					x	C	"		
66		x	x				x	T	"		
67		x					x	C	"		
68		x					x	C	T _A 31		
69		x	x				x	T	M	x	
70		x					x	C	TA		
71		x	x				x	T	"		
72		x	x				x	T	"		
73		x	x				x	T	"		
74		x					x	C	T _{mg} 31		
75		x	x				x	T	"		
76		x	x				x	T	"		

(1) T ≡ Lámina transparente

L ≡ Levigado

G ≡ Granulometría

CONTROL DE MUESTRAS

BLOQUE: 13-3	NOMBRE: IGUALADA	Nº MILITAR: 35-15	Nº GEOG.: 391
EMPRESA: IMINSA (IM)		ESPECIALISTA: A. Peón (AP)	

Nº MUESTRA	MACRO	MICRO	SEDIM.	C ¹⁴	E.M.	PETRO.	SITUACION PLANO	(1) PREPAR.	POSICION ESTRAT.	M. MANU.	OBSERVACIONES
77		x	x				x	T	T ^A 131		
78		x					x	G ₂	T ^{Ab-Ac} 22-21		
79		x	x				x	T	4		
80											
81											
82											
83											
84											
85											
86											
87											
88											
89											
90											
91											
92											
93											
94											
95											
96											
97											
98											
99											
100											
101											
102											
103		x	x				x	T	T ^{Aa} 21	x	
104		x	x				x	T	"	x	
105		x	x				x	T	"		
106		x	x				x	T	"		
107		x	x				x	T	"	x	
108		x	x				x	T	"		
109		x					x		"		
110		x	x				x	T	"		
111		x	x				x	T	"		
112		x					x		"		
113		x	x				x	T	"	x	
114						x	x	T	P		

(1) T ≡ Lámina transparente

L ≡ Levigado

G ≡ Granulometría

